

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/879,095	06/13/2001	Atsushi Oohashi	Q64715	4715 4102	
7:	590 06/20/2002				
SUGHRUE, MION, ZINN, MACPEAK & SEAS 2100 Pennsylvania Avenue, N.W. Washington, DC 20037			EXAMINER		
			MULLINS, BURTON S		
			ART UNIT	PAPER NUMBER	
			2834		
			DATE MAILED: 06/20/2002		

Please find below and/or attached an Office communication concerning this application or proceeding.

•					KK			
•		Applicat	tion No.	Applicant(s)				
	, 1	09/879,0	095	OOHASHI ET AL.				
Office Action Summary		Examine	er .	Art Unit				
		Burton S	. Mullins	2834				
Period fo	The MAILING DATE of this commun r Reply	ication appears on th	ne cover sheet with the c	orrespondence address				
THE N - Exter after - If the - If NO - Failui - Any re	DRTENED STATUTORY PERIOD F MAILING DATE OF THIS COMMUN sions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comr period for reply specified above is less than thirty (3 period for reply is specified above, the maximum st e to reply within the set or extended period for reply perly received by the Office later than three months a d patent term adjustment. See 37 CFR 1.704(b).	ICATION. s of 37 CFR 1.136(a). In no enunication. stop days, a reply within the structury period will apply and will, by statute, cause the approximation.	event, however, may a reply be time atutory minimum of thirty (30) days will expire SIX (6) MONTHS from aplication to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication (35 U.S.C. § 133).	on.			
1)	Responsive to communication(s) fi	led on						
2a) <u></u> □	This action is FINAL.	2b)⊠ This action i	s non-final.					
3)□ Dispositi	Since this application is in condition closed in accordance with the prace on of Claims				is			
4)⊠	Claim(s) 1-20 is/are pending in the	application.						
	4a) Of the above claim(s) is/a	re withdrawn from c	onsideration.					
5)	Claim(s) is/are allowed.							
6)⊠	6)⊠ Claim(s) <u>1-20</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
8) 🗌	Claim(s) are subject to restric	ction and/or election	requirement.					
Applicati	on Papers							
9) 🔲 🗆	The specification is objected to by th	e Examiner.						
10)🛛 🗆	he drawing(s) filed on <u>13 June 200°</u>	<u>f</u> is/are: a)□ accepte	d or b)⊠ objected to by t	he Examiner.				
_	Applicant may not request that any ob		,	` '				
11) 🗌 🗆	he proposed drawing correction file			ved by the Examiner.				
_	If approved, corrected drawings are re		Office action.					
12)∐ 1	The oath or declaration is objected to	by the Examiner.						
Priority u	nder 35 U.S.C. §§ 119 and 120							
13)⊠	Acknowledgment is made of a claim	for foreign priority u	nder 35 U.S.C. § 119(a)-(d) or (f).				
a)[☑ All b) ☐ Some * c) ☐ None of:							
	 Certified copies of the priority 	documents have be	en received.					
	2. Certified copies of the priority	documents have be	en received in Application	on No				
	 Copies of the certified copies application from the Interrete the attached detailed Office action 	national Bureau (PC)	Γ Rule 17.2(a)).	_				
	cknowledgment is made of a claim f		·		ion).			
a)	☐ The translation of the foreign lar	nguage provisional a	pplication has been rec	eived.	•			
Attachment	-							
2) Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (F nation Disclosure Statement(s) (PTO-1449) P			(PTO-413) Paper No(s)				
C Dotant and To								

Art Unit: 2834

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

2. Figures 12-18 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Objections

3. Claims 1 and 5-6 are objected to because of the following informalities: In claim 1, change "inner wall surfaces" to ---inner wall surface---. In claims 5&6, change "at around" to either -at— or --around---. Appropriate correction is required.

Claim Rejections - 35 USC § 112

4. Claims 13-14 and 19-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claims 13-14 are vague and indefinite. The functional language "caused at a time of inserting..." is not clear. Does this mean the segments are broken? In claim 19, "coating at least inner wall surfaces...from axial direction of the stator iron core..." makes no sense. In claim 20, the verb "provided" is vague and indefinite. Should this be ---applied--- or ---coated--- or some similar definite verb?

Application/Control Number: 09/879,095 Page 3

Art Unit: 2834

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1, 3, 13, 15, 17 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imori et al. (JP 1-278242) in view of Jordan et al. (US 3,646,374). Imori teaches an a.c. generator for a vehicle comprising: a rotator (rotor R; Fig.10); a stator iron core 10, arranged opposite an outer periphery of the rotator R and having a plurality of slots 12 (Fig.1); and a stator S including a plurality of conductor segments 20 (Figs.8-11), which are accommodated in the slots to form a stator winding, wherein the stator iron core is insulated from the conductor segments by coating inner wall surfaces of the slots with an insulative resin layer 13. Imori does not teach coating the end surfaces of the core.

Jordan teaches a resin coating 17 for a stator core 10 wherein both the slot walls and side faces 12 of the ends of the core are electrostatically coated to insulate the core from the windings to prevent short circuiting (c.2, lines 8-13).

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Imori and provide a resin coating on the end surfaces of the core per Jordan since it would have been desirable to insulate the core from the windings to prevent short circuiting.

Art Unit: 2834

Regarding claim 3, Jordan notes that the sharp slot edges may be embossed (c.1, lines 55-56).

Regarding the functional limitation of claim 13, the resin layer of Imori and Jordan would inherently fulfill the limitations of the claim. Jordan, in particular, implies that his resin does not develop cracks as in the prior art (c.1, lines 40-48) and states that his resin exhibits good thermal resistance and other physical properties (c.6, line74-c.7, line 13).

Regarding claim 15, the resin in Jordan may comprise silicon dioxide (Example 3).

Regarding claim 17, the resin in Imori comprises epoxy.

Regarding manufacturing claims 19-20, Jordan teaches that the resin comprising powders (e.g., c.4, lines 17-18) is electrostatically coated (c.7, lines 9-12).

7. Claims 2, 4-6, 14, 16 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imori and Jordan as applied to claim 1 above, and further in view of Ogami et al. (JP 56-3557). Imori and Jordan do not teach a rounded shape or a chamfered shape to the resin around opening edges of the slots (claim 2) or that the resin is thicker at the slot edges than in the center portion of the slots (claims 5&6).

Ogami teaches resin 6 impregnated on the roots of stator winding end portions 3/9 (Figs. 1-2) which has a rounded shape and is thicker than resin in the center portion of the slots. The resin prevents outflow of impregnating varnish and obtains a strong insulating layer (abstract).

It would have been obvious to one having ordinary skill in the art to modify Imori and Jordan and provide a rounded shape resin section at the opening edges of the slot sides per Ogami for the purpose of strengthening the insulating layer.

Art Unit: 2834

Regarding claim 4, Jordan notes that the sharp slot edges may be embossed (c.1, lines 55-56).

Regarding the functional limitation of claim 14, the resin layer of Imori and Jordan would inherently fulfill the limitations of the claim. Jordan, in particular, implies that his resin does not develop cracks as in the prior art (c.1, lines 40-48) and states that his resin exhibits good thermal resistance and other physical properties (c.6, line74-c.7, line 13).

Regarding claim 16, the resin in Jordan may comprise silicon dioxide (Example 3).

Regarding claim 18, the resin in Imori comprises epoxy.

8. Claims 7-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imori and Jordan or Imori, Jordan and Ogami as applied to respective claims 1 and 2 above, and further in view of Perfetti et al. (US 2,407,935). The conductor cross-sections in Imori, Jordan and Ogami are not rectangular, per se. Perfetti teaches a generator with stator conductors comprising bars 16a/17b (Figs.1&3) with rectangular cross-section (Fig.2). The bars have bent and straight ends which allow for easy connection and manufacture (c.3, lines 23-58).

It would have been obvious to modify Imori and Jordan, or Imori, Jordan and Ogami, and provide bars for the alternator conductors per Perfetti since this would have been desirable for easy connection and manufacture of the alternator windings.

9. Claims 9-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imori and Jordan or Imori, Jordan and Ogami as applied to respective claims 1 and 2 above, and further in view of Adachi (JP 2-136047). The surfaces of the core in Imori, Jordan and Ogami are not uneven, per se. Adachi teaches a method for preventing peeling of insulation resin applied to laminations whereby "irregular" (uneven) surfaces are formed on the sheets in the slots (Fig.3)

Art Unit: 2834

before application of resin layer 6. Since the resin layer 6 also covers the end surfaces of the

core, one would also be lead to roughen the end surfaces as well.

It would have been obvious to modify Imori and Jordan, or Imori, Jordan and Ogami,

Page 6

and provide uneven surfaces on the core per Adachi since this would have been desirable to

prevent peeling of the resin insulation.

Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

11. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Burton S. Mullins whose telephone number is 305-7063. The

examiner can normally be reached on Monday-Friday, 9 am to 5 pm. If attempts to reach the

examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be

reached on 308-1371. The fax phone numbers for the organization where this application or

proceeding is assigned are 305-1341 for regular communications and 305-1341 for After Final

communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 308-0956.

Burton S. Mullins Primary Examiner

Art Unit 2834

bsm

June 18, 2002